



Message Implementation Guideline

DHL FREIGHT (SWEDEN) DOMESTIC BOOKING CONFIRMATION

based on

IFTMBC

Booking confirmation message

UN S.93A S3

Version: 2.0

Issue date: 2015-01-23

Author: Christer Sjölund



Date/Version	Sg	Segment	Modification/Comment	Updated by
2015-01-23 Version 2.0		BGM	Added code 34 for 'Accepted with amendment' in DE 1225.	C Sjölund
		DTM	Added qualifier 200. Removed qualifier 234.	
		FTX	Added data element 4441 for reason code if booking is changed. Increased number of repetitions of FTX segment to 9. Increased number of repetitions of DE 4440 to 5.	
	2	RFF	Added qualifier AAO for 'Consignee reference'.	
	5	NAD	Added NAD+PW for pick-up address.	

Counter = Counter of segment/group within the standard
 No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Structure / Table of Contents

Counter	No	Tag	St	MaxOcc	Level	Content	
0000	1	UNA	C	1	0	SERVICE STRING ADVICE	UNA
0000	2	UNB	M	1	0	INTERCHANGE HEADER	UNB
0010	3	UNH	M	1	0	MESSAGE HEADER	UNH
0020	4	BGM	M	1	0	BEGINNING OF MESSAGE	BGM
0050	5	DTM	C	2	1	DATE/TIME/PERIOD	DTM
0060	6	FTX	C	9	1	FREE TEXT	FTX
0110		SG2	C	3	1	RFF	SG2
0120	7	RFF	M	1	1	REFERENCE	RFF
0140		SG3	M	1	1	TDT	SG3
0150	8	TDT	M	1	1	DETAILS OF TRANSPORT	TDT
0220		SG5	C	99	1	NAD	SG5
0230	9	NAD	M	1	1	NAME AND ADDRESS	NAD
0670	10	UNT	M	1	0	MESSAGE TRAILER	UNT
0000	11	UNZ	M	1	0	INTERCHANGE TRAILER	UNZ

Counter = Counter of segment/group within the standard
 No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counte	No	Tag	St	MaxOcc	Level	Name	UNB
--------	----	-----	----	--------	-------	------	-----

0000 2 **UNB** M 1 0 INTERCHANGE HEADER

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNB				
S001	SYNTAX IDENTIFIER	M	M	
0001	Syntax identifier	M a4	M a4	
0002	Syntax version number	M n1	M n1	
S002	INTERCHANGE SENDER	M	M	
0004	Sender identification	M an..35	M an..35	
0007	Partner identification code qualifier	C an..4	C an..4	14 EAN (International Article Numbering Association) 30 ISO 6523: Organization identification
S003	INTERCHANGE RECIPIENT	M	M	
0010	Recipient identification	M an..35	M an..35	
0007	Partner identification code qualifier	C an..4	C an..4	14 EAN (International Article Numbering Association) 30 ISO 6523: Organization identification
0014	Routing address	C an..14	C an..14	
S004	DATE/TIME OF PREPARATION	M	M	
0017	Date of preparation	M n6	M n6	
0019	Time of preparation	M n4	M n4	
0020	Interchange control reference	M an..14	M an..14	
S005	RECIPIENT'S REFERENCE PASSWORD	C	N	
0022	Recipient's reference/ password	M an..14	N	Not used
0026	Application reference	C an..14	C an..14	

Remark:

Example:

UNB+UNOC:3+7330924000002:14+5790000110179:14:ROUTINGADDRESS+150119:1514+33881++IFTMBC'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counte	No	Tag	St	MaxOcc	Level	Name	UNH
0010	3	UNH	M	1	0	MESSAGE HEADER	

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNH				
0062	Message reference number	M an..14	M an..14	
S009	MESSAGE IDENTIFIER	M	M	
0065	Message type identifier	M an..6	M an..6	IFTMBC
0052	Message type version number	M an..3	M an..3	S
0054	Message type release number	M an..3	M an..3	93A
0051	Controlling agency	M an..2	M an..2	UN UN/ECE/TRADE/WP.4, United Nations Standard Messages (UNSM)
0057	Association assigned code	C an..6	C an..6	SE0024 Booking confirmation

Remark:

Example:

UNH+123+IFTMBC:S:93A:UN:SE0024'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counte	No	Tag	St	MaxOcc	Level	Name	BGM
0020	4	BGM	M	1	0	BEGINNING OF MESSAGE	

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
BGM				
C002	DOCUMENT/MESSAGE NAME	C	C	
1001	Document/message name, coded	C an..3	C an..3	770 Booking confirmation
1004	Document/message number	C an..35	C an..35	
1225	Message function, coded	C an..3	C an..3	6 Confirmation 27 Not accepted 34 Accepted with amendment

Remark:

Example:

BGM+770+509836+6'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counte	No	Tag	St	MaxOcc	Level	Name	DTM
0050	5	DTM	C	2	1	DATE/TIME/PERIOD	

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	DATE/TIME/PERIOD	M	M	
2005	Date/time/period qualifier	M an..3	M an..3	137 Document/message date/time 200 Pick-up/collection date/time of cargo
2380	Date/time/period	C an..35	C an..35	
2379	Date/time/period format qualifier	C an..3	C an..3	102 CCYYMMDD

Remark:

Example:

DTM+137:20140119:102'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counte	No	Tag	St	MaxOcc	Level	Name	FTX
0060	6	FTX	C	9	1	FREE TEXT	

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject qualifier	M an..3	M an..3	TRA Transportation information
4453	Text function, coded	C an..3	N	Not used
C107	TEXT REFERENCE	C	C	
4441	Free text, coded	M an..3	M an..3	Code for reason if booking is changed
C108	TEXT LITERAL	C	C	If the booking is changed or not accepted, information is given here.
4440	Free text	M an..70	M an..70	
4440	Free text	C an..70	C an..70	
4440	Free text	C an..70	C an..70	
4440	Free text	C an..70	C an..70	
4440	Free text	C an..70	C an..70	

Remark:

Example:

FTX+TRA++21+Bekräftad! Din bokning 6905280324 ?'13650 HANINGE?' har bokningsnummer:121-2015-01-19-12.49.18.035169:Text line 3:Text line 4:Text line 5'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counte	No	Tag	St	MaxOcc	Level	Name	SG2	RFF
0110		SG2	C	3	1	RFF		
0120	7	RFF	M	1	1	REFERENCE		

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	REFERENCE	M	M	
1153	Reference qualifier	M an..3	M an..3	BN Booking reference AAS Transport document Id (Shipment Id) CU Consignor reference AAO Consignee reference
1154	Reference number	C an..35	C an..35	

Remark:

Example:

RFF+BN:121-2015-01-19-12.49.18.035169'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counte	No	Tag	St	MaxOcc	Level	Name	SG3	TDT
0140		SG3	M	1	1	TDT		
0150	8	TDT	M	1	1	DETAILS OF TRANSPORT		

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TDT				
8051	Transport stage qualifier	M an..3	M an..3	20 Main-carriage transport

Remark:

Example:

TDT+20'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counte	No	Tag	St	MaxOcc	Level	Name	SG5	NAD
0220		SG5	C	99	1	NAD		
0230	9	NAD	M	1	1	NAME AND ADDRESS		

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
NAD				
3035	Party qualifier	M an..3	M an..3	PW Pick-up address
C082	PARTY IDENTIFICATION DETAILS	C	N	
3039	Party id identification	M an..17	N	Not used
C058	NAME AND ADDRESS	C	N	
3124	Name and address line	M an..35	N	Not used
C080	PARTY NAME	C	C	
3036	Party name	M an..35	M an..35	
C059	STREET	C	C	
3042	Street and number/P.O. Box	M an..35	M an..35	
3042	Street and number/P.O. Box	C an..35	C an..35	
3164	City name	C an..35	C an..35	
3229	Country sub-entity identification	C an..9	N	Not used
3251	Postcode identification	C an..9	C an..9	
3207	Country, coded	C an..3	C an..3	

Remark:

Example:

NAD+PW+++Erikssons Plåt+Lagergatan 24:Additional address+Örebro++70330+SE'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counte	No	Tag	St	MaxOcc	Level	Name	UNT
0670	10	UNT	M	1	0	MESSAGE TRAILER	

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNT				
0074	Number of segments in a message	M n..6	M n..6	
0062	Message reference number	M an..14	M an..14	

Remark:

Example:

UNT+7+123'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counte	No	Tag	St	MaxOcc	Level	Name	UNZ
0000	11	UNZ	M	1	0	INTERCHANGE TRAILER	

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNZ				
0036	Interchange control count	M n..6	M n..6	
0020	Interchange control reference	M an..14	M an..14	

Remark:

Example:

UNZ+1+33881'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Example Message

No	Tag	Example
01	UNA	UNA:+.?'
02	UNB	UNB+UNOC:3+7330924000002:14+5790000110179:14:ROUTINGADDRESS+150119:1514+33881++IFTMBC'
03	UNH	UNH+123+IFTMBC:S:93A:UN:SE0024'
04	BGM	BGM+770+509836+6'
05	DTM	DTM+137:20140119:102'
06	FTX	FTX+TRA++21+Bekräftad! Din bokning 6905280324 ?'13650 HANINGE?' har bokningsnummer:121-2015-01-19-12.49.18.035169:Text line 3:Text line 4:Text line 5'
	SG2	
07	RFF	RFF+BN:121-2015-01-19-12.49.18.035169'
	SG3	
08	TDT	TDT+20'
	SG5	
09	NAD	NAD+PW+++Erikssons Plåt+Lagergatan 24:Additional address+Örebro++70330+SE'
10	UNT	UNT+7+123'
11	UNZ	UNZ+1+33881'

No = Consecutive segment number